



MD 285 B




TOPKIT

Mat / Réactions ☒ 2 m
Maste /
Eckdrücke 30 m ⇒ 70 m
Masts /
Reactions
Mástil /
Reacciones
Torre / Reazioni
Tramo /
Reacções
Композиции
башни /
Реакции


LVS 2




P 61 A	
F2	● 176 t
	■ 216 t
F3	● 115 t
	■ 161 t
	■ 77 t



V 60 A	
F1	● 115 t
	■ 139 t
	■ 89 t



ZD 463	
F1	● 106 t
	■ 98 t
	■ 80 t




B 60 A	
F1	● 42.3 t
	■ 37.3 t
	■ 32.3 t
	■ 27.3 t




Télescopage sur dalles
Kletterkrane im Gebäude
Climbing crane
Telescopage gruas trepadoras
Gru in cavedio
Telescopagem sobre lages
Кран, ползущий внутри здания

LVS 2



B 60 A



TOPKIT
MD 285 B

POTAIN


FR	DE	EN	ES	IT	PT	RU
● Réactions en service	Reaktionskräfte in Betrieb	Reactions in service	Reacciones en servicio	Reazioni in servizio	Reacções em serviço	Реакции при работе
■ Réactions hors service	Reaktionskräfte außer Betrieb	Reactions out of service	Reacciones fuera de servicio	Reazioni fuori servizio	Reacções fora de serviço	Реакции в покое
A vide sans lest (ni train de transport) avec flèche et hauteur maximum.	Ohne Last, Ballast (und Transportachse), mit Maximalausleger und Maximalhöhe.	Without load, ballast (or transport axes), with maximum jib and maximum height.	Sin carga, sin lastre, (ni tren de transporte), flecha y altura máxima.	A vuoto, senza zavorra (ne assali di trasporto) con braccio massimo e altezza massima.	Sem carga (nem trem de transporte)- sem lastro com lança e altura máximas.	Вес без груза, балласта (или транспортных осей), с максимальной длиной стрелы и максимальной высотой.
Nous consulter	Auf Anfrage	Consult us	Consultarnos	Consultareci	Consulta-nos	Проконсультируйтесь у нас

RADASANAT.COM

(0098) - 9121834995

Courbes de charges
Lastkurven
Load diagrams
Curvas de cargas
Curve di carico
Curva de cargas
Диаграммы грузоподъемностей

LYS 2



Lest de contre-flèche
Gegenauslegerballast
Counter-jib ballast
Lastre de contra flecha
Contrappeso
Lastros da contra lança
Балласт на консоли

LYS 3

	4 600 - 4 200 - 3 400 - 2 900 kg		4 200 - 700 kg	
	50 - 75 - 100 LVF		50 - 75 - 100 LVF	150 LCC
	(kg)		(kg)	
70 m	18 m	27 600	18 m	26 600
65 m	18 m	24 900	18 m	24 500
60 m	18 m	23 000	18 m	23 100
55 m	18 m	22 600	18 m	22 400
50 m	18 m	20 700	18 m	21 000
45 m	18 m	18 000	18 m	18 200
40 m	18 m	16 100	18 m	16 100
35 m	12 m	27 600	12 m	26 600
30 m	12 m	20 700	12 m	21 000


Lest de base
Grundballast
Base ballast
Lastre de base
Zavorra di base
Lastros da base
Базовый балласт

LYS 2

2 m	V 60 A	H (m)	69,3	66	61	56	51	46	41	36	31	26	21	16
			(t)	108	96	72	60	60	60	48	48	48	48	48
2 m	ZD 463	H (m)	50,4	47,1	42,1	37,1	32,1	27,1	22,1	17,1	12,1			
			(t)	90	90	90	90	90	90	90	90			

Ancrages
Verankerungen
Anchorage
Anclaje
Ancoraggio
Ancoragem
Рамки для крепления к зданию

LYS 2



TOPKIT
MD 285 B

POTAIN

	FR	DE	EN	ES	IT	PT	RU
A	Distance entre cadres	Abstand zwischen den Rahmen	Distance between collars	Distancia entra marcos	Distanza fra i telai	Distância entre quadros	Расстояние между рамками крепления
H1	Hauteur grue	Kranhöhe	Crane height	Altura grúa	Altezza gru	Altura da grua	Высота крана
P	Poids de la grue(en service)	Krangewicht (in Betrieb)	Crane weight (in service)	Peso de la grúa (en servicio)	Peso della gru (in servizio)	Peso da grua (em serviço)	Вес крана (при работе)
R	Réaction horizontale	Horizontalkräfte	Horizontal reaction	Reaccion horizontal	Reazione orizzontale	Reacção horizontal	Горизонтальные реакции
	Voir télescopage sur dalles	Siehe Kletterkrane im Gebäude	See climbing crane	Vea grua trepadora	Consultare gru in cavedio	Ver telescopagem sobre lages	См. кран, ползущий внутри здания

RADASANAT.COM




(0098) - 9121834995

Courtesy of Crane.Market

Mécanismes
Antriebe
Mechanisms
Meccanismi
Mecanismos
Механизмы

LYS 6

														ch - PS hp	kW		
	50 LVF 30 Optima	m/min	2,4 → 9,6 → 30 → 38 → 54 → 78						1,2 → 4,8 → 15 → 19 → 27 → 39						50	37	340 m
		t	6 6 6 4,5 3 1,5						12 12 12 9 6 3								
	75 LVF 30 Optima	m/min	0 → 44 → 56 → 80 → 114						0 → 22 → 28 → 40 → 57						75	55	570 m
		t	6 4,5 3 1,5						12 9 6 3								
	100 LVF 30 Optima	m/min	0 → 54 → 68 → 96 → 142						0 → 27 → 34 → 48 → 71						100	75	1019 m
		t	6 4,5 3 1,5						12 9 6 3								
	150 LCC 30	m/min	86 → 103 → 129 → 172 → 206						43 → 52 → 65 → 86 → 103						150	110	652 m
		t	6 4,5 3 1,5 0,75						12 9 6 3 1,5								
	6 DVF 4	m/min	0 → 50(12 t) 0 → 100						(6 t) 0 → 120 (3 t)						5,5	4	
	RVF 162 Optima +	tr/min U/min rpm	0 → 0,7												2 x 7,5	2 x 5,5	
	ZD 463 A1 2V	m/min	15 - 30												4 x 5	4 x 3,7	
	V 60 A A1 2V R ≥ 13 m	m/min	13,5 - 27												4 x 7	4 x 5,2	
CEI 38			IEC 38						 kVA								
400 V (+6% -10%) 50 Hz								50 LVF : 75 kVA 75 LVF : 100 kVA 100 LVF : 125 kVA 150 LCC : 175 kVA									



FR	DE	EN	ES	IT	PT	RU
Levage	Heben	Hoisting	Elevación	Sollevamento	Elevação	Подъем
Distribution	Katzfahren	Trolleying	Distribución	Distribuzione	Distribuição	Перемещение каретки
Orientation	Schwenken	Slewing	Orientación	Rotazione	Rotação	Поворот
Translation	Kranfahren	Travelling	Traslación	Traslazione	Translação	Перемещение крана

Document commercial non contractuel. Pour toute information technique se référer à la notice correspondante.

Unverbindliches Vertriebsdokument, für technische Informationen, siehe die entsprechenden Anweisungen.

This commercial document is not legally binding. For any technical information, please refer to the corresponding instructions.

Documento comercial non contrattual. Para cualquier información técnica, ver la noticia correspondiente.

Documento commerciale non vincolante, per tutte le informazioni tecniche fare riferimento al catalogo istruzioni.

Documento comercial não contratual. Para qualquer informação técnica complementar consultar as respectivas instruções.

Этот коммерческий документ не является юридически обязательным. Для получения технической информации, см. соответствующие инструкции.

Manitowoc

Manitowoc
Crane Care

POTAIN



Americas
Tel : +1 888 479 7278
Tel : +1 717 593 2000

Europe - Middle East - Africa
Tel : +33 (0) 4 72 81 50 00
Tel : +44 (0) 191 522 2000

Asia - Pacific
Tel : +65 6264 1188
Fax : +65 6862 4040

www.manitowoccranes.com

18, rue de Charbonnières - B.P.173
69132 ECULLY Cedex - France

Tél. : +33 (0) 4 72 18 20 20
Fax. : +33 (0) 4 72 18 20 00
www.manitowoccranes.com

TOPKIT MD 285 B
Code K-91985-60_Réf. 2003 48 LYS 6

Copyright.Reproduction interdite © POTAIN 2003

RADASANAT.COM

(0098) - 9121834995